





- 1. Considering the heat and water absorption ,WPC products will be slightly inflation, so the joist when placed should be reserved 3-5 mm from the building.
- 2. Considering the hard brittle of WPC materials, the joist need to pre-drilling before fix the expansion screw.
- 3. The spacing between joists should be 25-30cm.
- 4. The spacing between expansion screws should be 400mm to 500mm.
- 5. After the joist is fixed, drainage should be done to avoid factors that damage the decking, such as water swelling.
- 6. Fix the starter clips on one side of the joist.
- 7. Insert the decking into the starter clips, and install the first decking board.
- 8. Insert the clips in board and screw into joist (do not tighten).
- 9. Insert the second board into previous clips.
- 10. Insert next row of clips securing board (do not tighten).
- 11. Fully tighten clips & screws from step 8 and repeat from step 9.
- 12. Finish the corner edging and complete the decking installation.